
















ProofVision Outdoor DuraScreen Display/TV Range

-  High Definition (HD) display
-  Anti-reflective screen
-  Eco-friendly power timer
-  Full HD TV tuner
-  Standard Vesa mounting
-  IP65 rated
-  Multiple audio/video inputs
-  Built-in fan cooling
-  LED backlight
-  Tempered glass
-  Wide viewing angle
-  Temperature control
-  2 year warranty



Toughened Glass

The robust design and tempered glass make the DuraScreen model one of the toughest outdoor solutions on the market, ideal for public areas where vandalism maybe a concern.



Fan cooling system

The DuraScreen model uses built in fans to maintain control of the temperature, an effective solution to prevent the unit from overheating.



Easy access for maintenance









Designed with ability to unlock the front panel and gain access to the inside of the unit for easy servicing and upgrading with the view of the long term solution in mind.

Built in speakers


2 x 15W speakers allow for a fully integrated audio/visual experience. Audio out also available to pair with powerful outdoor speakers.

APPLICATIONS

Ideal for...

-  Tourist attractions
-  Factories
-  Bars & Pubs
-  Mobile Displays
-  Venues & Events
-  Hotels
-  Shops & Retail
-  Schools & Colleges





TECHNICAL SPECIFICATION

	42"	55"	65"
Max resolution	1920x1080	1920x1080	1920x1080
VESA standard	800x400mm	800x400mm	800x400mm
Contrast ratio	3000:1	3000:1	3000:1
Brightness	1500 cd/m ²	1500 cd/m ²	1500 cd/m ²
Max power consumption	≤230W	≤280W	≤475W
TV dimension	1046mm x 699mm x 160mm	1410mm x 919mm x 171mm	1623mm x 1043mm x 171mm
Weight	48kg	75kg	100kg
TV format	1080p		
Built-in tuner	DVB-T2/S2/C		
YPbPr	1PC		
HDMI	2PCS		
RS232	1PC		
VGA	1PC		
AV	1PC		
SCART	1PC		
PC audio	1PC		
Earphone	1PC		
Tuner	2PC		
Coaxial	1PC		
USB	1PC		
CI card	1PC		
Built-in speakers	2x15W		
Power input range	AC 110 – 240V		
TV systems	PAL		
Tempered glass	YES		
Viewing angle	170 degree /160 degree (H/V)		
Waterproof remote control	1PC		
Batteries	1PC		
User manual	1PC		
Power adaptor	1PC		
Orientation	Landscape or Portrait (not for content)		
Usage time per day	16 hours		
IP rating	IP65		
Cooling system	Fans		
Humidity	5-95%		
Operating temperature	-20 to 60°C		


ACCESSORIES



ProofVision outdoor speakers



Outdoor TV cover



Fixed TV bracket

Also available...

PC Stick
Articulating wall mount
Deck planter pole
Desk Bracket
Ceiling mount

Power cable cover
Waterproof power connector
Waterproof HDMI cable
Motorised TV mount – Future automation