



Wall Outlets

Flexible range for domestic and system applications

Grid versions in polycarbonate, brushed / polished stainless and flat styles

Full range of TV, radio and satellite modules in single, twin, triple and quad formats

Range includes telephone master, slave, Cat 5E, Cat 6, RJ11, twin / triple phono and loudspeaker modules

White or black polycarbonate moulding



TRIAX - your ultimate connection

Grid Outlets

Part No.	White Insert	Black Insert	304250 304251	304252 304253	304254 304255	304258 304259	304260 304261	304262 304263	304264 304265	304256 304257
Product			Single IEC(F)	Single IEC(M)	Single F	Diplexed TV/Radio	Diplexed TV/Sat	Triplexed TV/Radio/Sat	Quad TV/Radio/ Sat I/ Sat II	Blank
Electrical Data: Typ, Insertion Loss (dB)	In to Out In to Out In to Radio In to Radio In to TV In to TV In to TV In to TV In to TV In to TV In to Sat In to Sat In to Sat In to Sat II	Frequency (MHz) 5 to 862 5 to 2300 87.5 to 108 87.5 to 230 5 to 68 47 to 862 47 to 68 120 to 862 254 to 862 470 to 862 950 to 2150 2150 to 2400 950 to 2300 5 to 2400	0.3 - - - - - - - - - - - - - -	0.3 - - - - - - - - - - - - - -	- 0.6 - - - - - - - - - - - - -	- - - 1.5 1.0 - - - - - 1.5 - - - -	- - - - - 2.0 - - 2.0 - - 2.5 3.0 - -	- - - - 3.0 - - - 2.0 - - - - 3 -	- - - 3.0 - - - - 2.5 - - - - 3 1.5	- - - - - - - - - - - - - - -
Power Pass			Yes	Yes	Yes	Yes(TV)	Yes(Sat)	Yes(Sat)	Yes(Sat I/ Sat II)	-
Mechanical Data: Dimensions (mm) Fits 15mm Patress			25x50 Yes	25x50 Yes	25x50 Yes	50x50 Yes	50x50 Yes	50x50 Yes	50x50 Yes	25x50 Yes

Euro Grids

Eurogrid Style	1 Gang Eurogrid 25x50mm	1 Gang Eurogrid 50x50mm	2 Gang Eurogrid 100x50mm
Polycarbonate White	304200	304201	304202
Polycarbonate White Bevel Edge	304230	304232	304234
Polycarbonate Black Bevel Edge	304231	304233	304235
Polished Stainless Steel	304209	304211	304213
Brushed Stainless Steel	304203	304205	304207
Flat Style Polished Stainless Steel	304221	304223	304225
Flat Style Brushed Stainless Steel	304215	304217	304219
Overall Dimensions (mm)	86 x 86	86 x 86	146 x 86
Suitable for Eurogrid Insert Style	1 x Single Outlet	1 x Double Outlet 2 x Single Outlet	2 x Double Outlet 4 x Single Outlet



Telephone Inserts

Insert Colour	White	Black
BT Telephone Master	304268	304269
BT Telephone Slave	304270	304271
RJ 11 Modem	304272	304273
CAT 5E	304274	304275
CAT 6	304288	304289

Audio Inserts

Insert Colour	White	Black
Twin Phono	304278	304279
Twin Loudspeaker	304280	304281
Triple Phono	304290	304291




304278



304279



304280



304281



304290



304291




304250



304251




304252



304253



304254



304255



304258



304259



304260



304261



304262



304263




304264



304265



304256



304257



304200



304201



304202




304230




304232




304234



304231



304233



304235



304209



304211



304213



304203



304205



304207



304221



304223



304225



304215




304217



304219



304268



304269



304270



304271



304272



304273



304274



304275




304288



304289

Triax Screened Outlet Range

- Comprehensive range for domestic and system applications
- Fully screened
- UK style front plate
- Die-cast housing
- DAB compatible
- SAT II (304114) designed for use on Sky+ installations
- DDU outlet (304115) designed for installations using Domestic Distribution Unit



Part No.	304118	304102	304109	304110	304114	304115	304122	304123
Product	Diplexed (2 Way) with DC Pass	Triplexed (3 Way)	Quad (4 Way)	Quad (4 Way) +2 Telephone	Sat II	DDU	Single Outlet IEC	Single Outlet F
Frequency Range (MHz)	DC, 5-68, 254-862	47-68, 254-862	47-68, 254-862	47-68, 254-862	47-68, 254-862	47-68, 254-862	DC-862	DC-2300
• TV	87.5-230	87.5-230	87.5-230	87.5-230	87.5-230	87.5-230	-	-
• Radio	-	950-2150	950-2150	950-2150	Sat I 950-2150	Sat I 950-2150	-	-
• Satellite	-	-	-	-	Sat II DC-2150	Sat II 950-2150	-	-
Return	-	-	DC-2150	DC-2150	DC-2150	DC-862	-	-
Through Loss (dB)							0.3 Typ.	<1.6
• TV	≤1.5	≤2.5	≤2.5	≤2.5	≤3.5	≤3.5	-	-
• Radio	≤2.5	≤3.0	≤3.0	≤3.0	≤3.0	≤3.0	-	-
• Satellite	-	≤3.0	≤3.0	≤3.0	Sat I ≤3.5	Sat I ≤3.5	-	-
Return	-	-	-	-	Sat II ≤3.0	Sat II ≤4.0	-	-
Connector Type								
• Input(s)	Terminal & Clamp	Terminal & Clamp	Terminal & Clamp	Terminal & Clamp	Push Terminal & Clamp	Push Terminal & Clamp	Terminal & Clamp	Terminal & Clamp
• TV	IEC Male	IEC Male	IEC Male	IEC Male	IEC Male	IEC Male	IEC Female	F-Female
• Radio	IEC Female	IEC Female	IEC Female	IEC Female	IEC Female	IEC Female	-	-
• Satellite	-	F-Female	F-Female	F-Female	Sat I F-Female	Sat I F-Female	-	-
Return	-	-	F-Female	F-Female	Sat II F-Female	Sat II F-Female	-	-
Telephone	-	-	-	2xUK-BT Style Sockets (Slave)	1xUK-BT Style Sockets (Slave)	1xUK-BT Style Sockets (Slave)	-	-
Mechanical Data (mm)*	86x86x31	86x86x35	86x86x37	146x86x37	146x86x37	146x86x37	86x86x31	86x86x31

*Dimensions including front plate (will fit standard 25mm flush mounting box)



Outlet Link

- Provides a neat and simple solution for connecting the TV and return outputs of an outlet where a Sky receiver is not installed
- Designed for use with the Triax outlets 304109, 304114, 304264, 304265, 304286, and 304287
- Part No. 304139

Available from:

www.triax.co.uk



*Triax reserves the right to change the specifications without prior notification

W W W . A L L T R A D E . C O . U K