Satellite Mounts 3" - 4.5"

60mm Satellite Mounts





blake 🗸

Product Code	Description	Base Area	Mast Height
SAT/8F SAT/8G SAT/5A60	Mitre Welded 90° Mount 25 cm High, Slotted Base, 2¹ High Mitre Welded 90° Mount 50 cm High, Slotted Base, 2¹ High Non-Penetrating Roof Mount, 1m High, 60mm Tube with Twin Strap and Double Trays	250 mm 250 mm 1000 x 1060 mm	300 mm 500 mm 1060 mm

www.blake-uk.com/s3 =

3" & 4.5" Satellite Mounts





blake 🗸

Product Code	Description	Base Area	Mast Height
SAT/3P	Tripod Mount, 1 m High, 3' x 18" Adjustable legs, 3" Tube	900 mm ∆	1000 mm
SAT/3V	Adjustable Mount, Straight or Angled, 3' High, Slotted Base, 3" Tube and Brace Support	250 mm ☐ & Support	600 or 920 mm
SAT/3W	Mitre Welded 90° Mount 50 cm High, Slotted Base, 3" Tube and Brace Support	250 mm□& Support	600 mm
SAT/5B	Non-Penetrating Roof Mount, 1m High, 3" Tube with Twin Strap and Double Trays	1000 x 1084 mm	1050 mm
SAT/5C	Non-Penetrating Roof Mount, 1m High, 3" Tube with Quadruple Base and Supports	1292 x 1292 mm	1050 mm
SAT/5E	Non-Penetrating Roof Mount, 1.5m High, 4.5" Tube with Twin Strap and Quadruple Trays	1000 x 2095 mm	1491 mm

Base Tray for SAT/5A60, SAT/5B, SAT/5E requires 450 mm paving blocks. Additional Base Trays can be fitted – SAT/ABD(TRAY). Base Tray for SAT/5C requires 600mm paving blocks. All bolt fixings are secured with nylock nuts. All mounts are welded to BS EN ISO 15614 for strong & secure joints and are galvanized to BS EN 1461.