

MARQUEE HOME CINEMA



OVERVIEW

A no-compromise loudspeaker and amplification solution for extreme home theater installations.

PRODUCT ID



M3500OW



M3500IW



M3500IWNC

ON-WALL OR IN-WALL

As the front, side and rear channels are all complimented by dedicated, extruded, aluminum enclosures, you can be confident the sound will remain consistent whether you choose the on-wall or in-wall installation option. The aesthetic choice is completely up to you. Display them proudly or hide them away. Our desire is to allow you the option of blending them seamlessly into your décor.



MARQUEE HOME CINEMA



SPECIFICATIONS

M3500OW

M3500IW

Part	M3500OW	M3500IW
Woofer	Dual 5" Coated Paper Cone	Dual 8" Coated Paper Cone
Tweeter	1" Titanium Horn loaded	1" Titanium Horn loaded
Frequency Response	70Hz – 20kHz	65Hz – 20kHz
Power RMS	150 Watts	150 Watts
Power Peak	300 Watts	300 Watts
Impedance	4 ohm	4 ohm
Dimensions	18 ⁷ / ₈ " x 13" x 4 ¹ / ₄ " (480 x 330 x 108 mm)	18 ⁷ / ₈ " x 13" x 3 ¹ / ₂ " (480 x 330 x 102 mm)
Cutout Dimensions	-	15 ⁷ / ₁₆ " x 5 ⁹ / ₁₆ " (392 x 142 mm)
Mounting Depth	5 ¹ / ₄ " (133 mm)	3 ¹ / ₂ " (88 mm)

SPECIFICATIONS


M3500IWNC

Part	Surround Speaker Enclosure
Woofer	-
Tweeter	-
Frequency Response	-
Power RMS	-
Power Peak	-
Impedance	-
Dimensions	18 ⁷ / ₈ " x 13" x 3 ¹ / ₂ " (480 x 330 x 102 mm)
Cutout Dimensions	-
Mounting Depth	3 ¹ / ₂ " (88 mm)




MARQUEE HOME CINEMA

LINE DRAWINGS



M35000W




M35001W

Please see originacoustics.com for most the most updated information concerning these specifications. Products may only be purchased through an authorized integration partner.

MARQUEE HOME CINEMA




LINE DRAWINGS



M3500IWNC

SUSPENSION INSTALLATION



M3500IWNC SUSPENSION INSTALL

The distance between the bottom of the speaker baffle and the bottom of the bracket will be about 23".

So if you want the speaker baffle to be about a foot off the floor, install the bottom of the brackets about 35" (23" + 12") off the floor.

Please see originacoustics.com for most the most updated information concerning these specifications. Products may only be purchased through an authorized integration partner.