

PX3TUK-PRO

Hisense

PX3-PRO | Smart Laser Cinema 4K




80"-150"
Projection Size



LPU
Technology



TriChroma Laser Source




80-150"
Adjustable
Projection Size



Dolby
Vision-Atmos



Xbox-Certified
Gaming
Experience



Ultra Short
Throw



3000 ANSI
Lumens
Brightness (PX3-
PRO 3000
Lumens)



High Contrast



Pro AI
Computing



IMAX Enhanced



Smooth Motion




VIDAA Smart TV



VIDAA VOICE



Solar Powered
Remote



Easy
Connectivity

General information

Model name:	PX3TUK-PRO	Screen model mark:	HSN
Series:	PX3-PRO	Type:	4K Smart Laser Cinema
Colour of appliance:	Black/Dark grey	Cabinet material:	Plastic

Panel performance

Panel aspect ratio:	16:9	Throw Ratio:	0.22
Resolution max.:	4K Ultra HD 3840x2160	Wide colour gamut:	Yes
Frequency:	50 Hz, 60 Hz	Contrast:	3000:1
3D technology:	No	HDR technology:	HDR, HDR10, HDR10+ decoding
HLG technology:	Yes	Dolby technology:	No

Improving engines

Upscaling Ultra HD:	Yes	Input lag in game mode:	≤ 30 ms
3D digital comb filter:	Yes	MPEG noise reduction:	Yes
Mosquito noise reduction:	Yes		

Sound

Sound output power:	2x15 W + 2x10 W	Sound technology:	Dolby Atmos
User equalizer:	Yes	Dolby Atmos system:	Yes

Convenience

Media player:	Video, Picture, Audio	User interface:	VIDAA U7
---------------	------------------------------	-----------------	-----------------

Internet

Important apps:	Netflix, YouTube, Prime Video, Disney+, FIFA+	Screen sharing:	Yes
Content sharing:	DMP/DMR	Airplay 2 support:	Yes

Reception and TV features

Digital and analog tuner:	No	Parental control:	No
PVR function:	No	Time shift:	No

Connectivity

Common interface (CI+):	No	HDMI1 connector:	HDMI2.1
HDMI2 connector:	HDMI2.1	HDMI3 connector:	HDMI2.0/ARC
Number of USB (2.0) connectors:	1	Number of USB (3.0) connectors:	1
Number of S/PDIF outputs:	1	Number of headphone outputs:	1
Number of Ethernet RJ45 ports:	1	WiFi technology:	IEEE 802.11 a/b/g/n/ac-2.4G, 5G
Bluetooth:	Yes	Light sensor:	No

Eco and power supply

Voltage:	120-240 V	Power consumption in standby mode:	0.5 W
Power consumption in off mode:	0.5 W	Power consumption in working mode max.:	250 W

DMP formats

Supported video formats:	OGM, VOB, MPEG, MPG, 3GP, MOV, WMV, FLV, MKV, MP4, AVI	Video Codec:	VP9, MVC, VC1, MPEG2, MPEG4, H.264, HEVC/H.265
Supported audio formats:	MP4, WMV, WMA, FLAC, MP2, MP3, AAC, WAV	Supported picture formats:	GIF, PNG, BMP, JPEG

Weight and dimensions

Gross weight:	11.6 kg	Net weight:	9 kg
Product position at packing:	Vertical	Width of the packed product:	663 mm
Height of the packed product:	298 mm	Depth of the packed product:	403 mm
Width of the console:	550 mm	Height of the console:	120 mm
Depth of the console:	296 mm	Cable management:	No
Product code:	20014524	EAN code:	6942351408255