

High-End Server Rack Enclosures

R5000 Series with 10-32 UNC Threaded Rails

A new generation for server rack enclosures with a multitude of added features. Its hidden assembly screws and rolled edges give the cabinet a sleek, minimalistic finish.



- Adjustable 10-32 UNC threaded front and back rails
- Removable doors and side panels
- Door can be unpinned and rotated
- Integral vertical cable management bars
- Multiple mounting options for castors and feet
- Customisable top and bottom
- Earth points
- Bayable

R5066 Series: 23.6" Wide x 23.6" Deep

Available Unit Sizes:	18U, 22U, 27U, 32U, 37U, 42U or 47U
------------------------------	-------------------------------------

Mounting Depths:	Min: 5.9" / Max: 19.68"
-------------------------	-------------------------

Available Front Doors:	Glass or Perforated Steel
-------------------------------	---------------------------

R5086 Series: 23.6" Wide x 31.5" Deep

Available Unit Sizes:	22U, 27U, 32U, 37U, 42U or 47U
------------------------------	--------------------------------

Mounting Depths:	Min: 5.9" / Max: 27.5"
-------------------------	------------------------

Available Front Doors:	Glass or Perforated Steel
-------------------------------	---------------------------

R5108 Series: 23.6" Wide x 39.4" Deep

Available Unit Sizes:	22U, 27U, 32U, 37U, 42U or 47U
------------------------------	--------------------------------

Mounting Depths:	Min: 5.9" / Max: 35.43"
-------------------------	-------------------------

Available Front Doors:	Glass or Perforated Steel
-------------------------------	---------------------------

R5088 Series: 31.5" Wide x 31.5" Deep

Available Unit Sizes:	22U, 32U, 37U, 42U, or 47U
------------------------------	----------------------------

Mounting Depths:	Min: 5.9" / Max: 27.5"
-------------------------	------------------------

Available Front Doors:	Glass or Perforated Steel
-------------------------------	---------------------------


R5106 Series: 31.5" Wide x 39.4" Deep

Available Unit Sizes:	22U, 32U, 37U, 42U, or 47U
------------------------------	----------------------------

Mounting Depths:	Min: 5.9" / Max: 35.43"
-------------------------	-------------------------

Available Front Doors:	Glass or Perforated Steel
-------------------------------	---------------------------

23.6" Wide Enclosures



1 Front & Back Doors

- Reversible and removable
- Concealed door handles
- Glass, plain or vented steel doors
- Replacement lock available*



2 Side Panels

- Easy to open with slam latches
- Removable
- Vented Side Panels Available
- Optional side panel locks*



3 Cable Management

- Corner posts feature integral cable management
- Optional, adjustable vertical cable management trays



4 Customisable

- Modular Top & Bottom Units from 6U to 18U available on the top and the bottom of each enclosure



5 Threaded Rails

- Adjustable mounting depth from 6" to 35.5"
- No more cage nuts with the 10/32 UNC threaded rack rails



6a 2" Castors

- 1.6" x 1.6" hole patterns for 2" castors.
- Use our W0950 - 2" Castor/Foot.



6b 3" & 4" Castors

- 3.15" x 3.36" hole patterns for 3" & 4" castors.



6c Adjuster feet

- M12 holes for adjuster feet.
- See part number R8295 for sets of adjuster feet from 1.2" to 3.75".

23.6" Wide x 23.6" Deep Rack Enclosures

Part Numbers		Dimensions		
Glass Door	Vented Door	Size (U)	Height	Weight
R5066-18UK	R5066-V-18UK	18U	35.5"	121.25lb
R5066-22UK	R5066-V-22UK	22U	43"	136.69lb
R5066-27UK	R5066-V-27UK	27U	51"	156.53lb
R5066-32UK	R5066-V-32UK	32U	60"	167.55lb
R5066-37UK	R5066-V-37UK	37U	69"	182.98lb
R5066-42UK	R5066-V-42UK	42U	77"	198.42lb
R5066-47UK	R5066-V-47UK	47U	86"	213.85lb


23.6" Wide x 31.5" Deep Rack Enclosures

Part Numbers		Dimensions		
Glass Door	Vented Door	Size (U)	Height	Weight
R5086-22UK	R5086-V-22UK	22U	43"	149.91lb
R5086-27UK	R5086-V-27UK	27U	51"	171.96lb
R5086-32UK	R5086-V-32UK	32U	60"	194lb
R5086-37UK	R5086-V-37UK	37U	69"	216lb
R5086-42UK	R5086-V-42UK	42U	77"	238.1lb
R5086-47UK	R5086-V-47UK	47U	86"	260.15lb

23.6" Wide x 39.4" Deep Rack Enclosures

Part Numbers		Dimensions		
Glass Door	Vented Door	Size (U)	Height	Weight
R5106-22UK	R5106-V-22UK	22U	43"	165.35lb
R5106-27UK	R5106-V-27UK	27U	51"	194lb
R5106-32UK	R5106-V-32UK	32U	60"	220.46lb
R5106-37UK	R5106-V-37UK	37U	69"	246.92lb
R5106-42UK	R5106-V-42UK	42U	77"	275.58lb
R5106-47UK	R5106-V-47UK	47U	86"	1308.65lb

31.5" Wide Enclosures



Front & Back Doors

- Reversible and removable
- Concealed door handles
- Glass, plain or vented steel doors
- Replacement lock available*



Side Panels

- Easy to open with slam latches
- Removable
- Vented Side Panels Available
- Optional side panel locks*



Cable Management

- Corner posts feature integral cable management
- Optional, adjustable vertical cable management trays



Customisable

- Modular Top & Bottom Units from 6U to 18U available on the top and the bottom of each enclosure



Threaded Rails

- Adjustable mounting depth from 6" to 35.5"
- No more cage nuts with the 10/32 UNC threaded rack rails



2" Castors

- 1.6" x 1.6" hole patterns for 2" castors.
- Use our W0950 - 2" Castor/Foot.



3" & 4" Castors

- 3.15" x 3.36" hole patterns for 3" & 4" castors.



Adjuster feet

- M12 holes for adjuster feet.
- See part number R8295 for sets of adjuster feet from 1.2" to 3.75".

31.5" Wide x 31.5" Deep Rack Enclosures

Part Numbers		Dimensions		
Glass Door	Vented Door	Size (U)	Height	Weight
R5088-22UK	R5088-V-22UK	22U	43"	187.39lb
R5088-32UK	R5088-V-32UK	32U	61"	240.3lb
R5088-37UK	R5088-V-37UK	37U	69"	264.55lb
R5088-42UK	R5088-V-42UK	42U	78"	288.81lb
R5088-47UK	R5088-V-47UK	47U	87"	310.85lb

31.5" Wide x 39.4" Deep Rack Enclosures

Part Numbers		Dimensions		
Glass Door	Vented Door	Size (U)	Height	Weight
R5108-22UK	R5108-V-22UK	22U	43"	209.44lb
R5108-32UK	R5108-V-32UK	32U	61"	264.55lb
R5108-37UK	R5108-V-37UK	37U	69"	293.21lb
R5108-42UK	R5108-V-42UK	42U	78"	317.47lb
R5108-47UK	R5108-V-47UK	47U	87"	341.72lb