


ROMAN BLIND SYSTEMS



GENERAL NOTES

Dimensions

- Measurements are in mm except where indicated.
- Max. kg relates to fabric incl. accessories (bottom bars, cross rods, etc.).
- Stack size is typically 15-20% of system height.

Fitting

- Installation by qualified fitter only.
- Number of brackets and fitting positions / fixing points vary depending on fitting surface, system weight, fabric make-up, screw / fixing type and obstacles.
- Qualified fitter must use appropriate screws / fixings for each situation.
- Electrical installations must be carried out according to Silent Gliss wiring diagrams and conform to local regulations.
- Check space for cables and plugs!



Child Safety

- All relevant Silent Gliss systems correspond to child safety EN 13120.
- All parties involved must comply with EN 13120.

APPLICATION CHART

<u>PAGE</u>	<u>SYSTEM</u>	<u>OPERATION</u>	<u>DIMENSION</u>	← max. →	↑ max. ↓	kg _{max.}
5	SG 2120		L	4 m	6 m	8 kg
13	SG 2305		S - M	3 m	3.4 m	4 kg
23	SG 2355		S - M	3 m	3 m	4 kg
35	SG 2360		S - L	4 m	4 m	10 kg

SG 2120



PRODUCT INFORMATION


- **Operation:** chain
- **Range:** L
- **Fitting:** ceiling, wall
- **Colours:** white RAL 9016, anodised aluminum
- **Fabrics:** refer to Silent Gliss fabric collection

Features:


- 5-to-1 gear drive
- Bead chain

SYSTEM SPECIFICATIONS

A. SYSTEM DIMENSIONS



4 m



6 m




8 kg



24 m²


B. PROFILE

Profile Information



SG 2211


Velcro profile



SG 2005

Bottom bar 40x5 mm

C. HOW TO MEASURE



A: System width

B: System height

C: Chain height

D: Safety retainer SG 10731 min. 150 cm above floor

D. SPECIFICATION

TEXT


Silent Gliss SG 2120 Chain Operated Roman Blind Headrail System. Comprises headrail SG 2211 made to measure in SAA finish with bonded hook and loop insert, take up reels SG 2081, drawing tape SG 2163. And metal operating bead chain SG 4845. Left / right hand side operation via gear drive set SG 2049. Wall fix with brackets SG 3630 / top fix with brackets SG 3603. If supplied with made up blind from Silent Gliss fabric collection includes child safe breakaway components SG31624 bottom bar set, SG 3069 rod cover (hard / semi hard fold makeup), SG 3165 / 3166 ring (soft fold make-up). Compliant to Child Safety legislation EN 13120.

FITTING

A. FITTING INFORMATION



For detailed fitting information, visit the Silent Gliss website.

Fixing points



B. CEILING FITTING


Bracket SG 3603




SG 3603
Bracket

C. WALL FITTING


Bracket SG 3655, SG 3660



Bracket	X mm
SG 3655	58
SG 3660	73




SG 3655
Bracket 50 mm




SG 3660
Bracket 65 mm


Smart Fix



Smart Fix SG 11200 - SG 11205 and bracket SG 3603:
Screw SG 10492 (M4x8) needed.




Square Smart Fix SG 11210 - SG 11215 and bracket SG 3603:
Screw SG 10492 (M4x8) needed.



Universal Smart Fix 11154-11156 and bracket SG 3603:
Screw SG 10277 (M4x12) needed.

Smart Fix	X mm
SG 11200 / SG 11210	80
SG 11201 / SG 11211	100
SG 11202 / SG 11212	120
SG 11203 / SG 11213	140
SG 11204 / SG 11214	170
SG 11205 / SG 11215	220
SG 11154	132-160
SG 11155	162-190
SG 11156	212-240




SG 3603
Bracket




SG 10277
Pan head screw M4x12




SG 10492
Pan head screw M4x8




SG 11200
Smart Fix 60 mm




SG 11201
Smart Fix 80 mm




SG 11202
Smart Fix 100 mm




SG 11203
Smart Fix 120 mm




SG 11204
Smart Fix 150 mm




SG 11205
Smart Fix 200 mm




SG 11210
Square Smart Fix 60 mm




SG 11211
Square Smart Fix 80 mm




SG 11212
Square Smart Fix 100 mm




SG 11213
Square Smart Fix 120 mm




SG 11214
Square Smart Fix 150 mm




SG 11215
Square Smart Fix 200 mm



SG 11154
Universal Smart Fix 120 mm




SG 11155
Universal Smart Fix 150 mm



SG 11156
Universal Smart Fix 200 mm


SYSTEM OPTIONS

A. FABRIC MAKE-UP




Type A - Softfold

- A: Child safety tape set SG 3166
- B: Set includes tape and child safety eyelet
- C: Tape SG 2163
- D: Child safety hook set SG 3164
- E: Hollow hem
- F: Bottom bar SG 2005



Type B - Hardfold

- A: Tape SG 2136
- B: Rod SG 2135
- C: Child safety eyelet hard fold SG 3069
- D: Tape SG 2163
- E: Child safety hook set SG 3164







Type C - Hardfold










- A: Child safety eyelet set SG 3165
- B: Tape SG 2163
- C: Child safety hook set SG 3164










PARTS


A. STANDARD PARTS

	SG 2049 Chain drive
	SG 2059 Safety clip
	SG 2081 Take-up spool
	SG 2111 Shaft
	SG 2163 Tape
	SG 2179 End cover
	SG 2211 Velcro profile
	SG 2865 Bead chain connector \varnothing 4.6 mm
	SG 4845 Bead chain metal \varnothing 4.5 mm
	SG 10731 Child safety retainer set

B. OPTIONAL PARTS


	SG 2005 Bottom bar 40x5 mm
	SG 2006 Bottom bar 28x3 mm
	SG 2135 Rod steel \varnothing 3 mm
	SG 2136 Rod tape
	SG 2539 Tape
	SG 2872 Bead chain plastic \varnothing 4.6 mm
	SG 3069 Child safety eyelet
	SG 3164 Child safety hook set
	SG 3165 Child safety eyelet set
	SG 3166 Child safety tape set
	SG 3603 Bracket
	SG 3655 Bracket 50 mm
	SG 3660 Bracket 65 mm
	SG 10277 Pan head screw M4x12

	SG 10492 Pan head screw M4x8
	SG 11154 Universal Smart Fix 120 mm
	SG 11155 Universal Smart Fix 150 mm
	SG 11156 Universal Smart Fix 200 mm
	SG 11200 Smart Fix 60 mm
	SG 11201 Smart Fix 80 mm
	SG 11202 Smart Fix 100 mm
	SG 11203 Smart Fix 120 mm
	SG 11204 Smart Fix 150 mm
	SG 11205 Smart Fix 200 mm
	SG 11210 Square Smart Fix 60 mm
	SG 11211 Square Smart Fix 80 mm
	SG 11212 Square Smart Fix 100 mm
	SG 11213 Square Smart Fix 120 mm



SG 11214



Square Smart Fix 150 mm



SG 11215

Square Smart Fix 200 mm

SG 2305



PRODUCT INFORMATION


- **Operation:** chain
- **Range:** S - M
- **Fitting:** ceiling, wall
- **Colours:** white RAL 9016, black RAL 9005
- **Fabrics:** refer to Silent Gliss fabric collection

Features:


- 4-to-1 gear drive
- Stainless steel bead chain
- Enclosed headrail
- Integrated magnetic child safety end-set

SYSTEM SPECIFICATIONS


A. SYSTEM DIMENSIONS



3 m




60 cm



3.4 m




10 m²




4 kg

B. PROFILE


Profile information



SG 2301
Velcro profile



SG 2309
Shaft




SG 2006
Bottom bar 28x3 mm



SG 2135
Rod steel ø 3 mm

C. HOW TO MEASURE


Breakaway child safety chain drive SG 2307



A: System width
B: System height
C: Chain height



Non-breakaway chain drive SG 2317



- A: System width
- B: System height
- C: Chain height
- D: Safety retainer SG 10731 min. 150 cm above floor

D. SPECIFICATION
TEXT


Silent Gliss SG 2305 Chain Operated Roman Blind Headrail System. Comprises headrail SG 2301 made to measure powder coated white / black finish with bonded hook and loop insert, spools with cord SG 2308 and metal bead chain SG 2311 (optional plastic chain SG 2310). Left / right side hand pull via child safety gear drive set SG 2307 which includes endcap. Top / face fix using clip bracket SG 2302 at max. 90cm centres (optional face / top fix clamp bracket SG 2346). If supplied with made up blind from Silent Gliss fabric collection includes child safe breakaway components SG 3164 bottom bar set, SG 3069 rod cover (hard / semi hard fold makeup), SG 3165 / 3166 ring (soft fold make-up). Fabric to be attached to headrail profile using loop tape. Compliant to Child Safety Legislation EN 13120.

FITTING

A. FITTING
INFORMATION


For detailed fitting information, visit the Silent Gliss website.


Fixing points



B. CEILING FITTING

Bracket SG 2302







SG 2302

Bracket

Bracket SG 2346




SG 2346


Bracket

C. WALL FITTING

Smart Fix




Smart Fix SG 11200 - SG 11205 and bracket SG 2302:
Screw SG 10395 (M4x6) needed.




Square Smart Fix SG 11210 - SG 11215 and bracket SG 2302:
Screw SG 10395 (M4x6) needed.

Smart Fix	X mm
SG 11200 / SG 11210	71-79
SG 11201 / SG 11211	91-99
SG 11202 / SG 11212	111-119
SG 11203 / SG 11213	131-139
SG 11204 / SG 11214	161-169
SG 11205 / SG 11215	211-219
SG 11154	126-152
SG 11155	156-182
SG 11156	206-232



**Universal Smart Fix SG 11154 - SG 11156 and
bracket SG 2302:**

Screw SG 10492 (M4x8) needed.




SG 2302
Bracket




SG 10395
Pan head screw M4x6




SG 10492
Pan head screw M4x8




SG 11200
Smart Fix 60 mm




SG 11201
Smart Fix 80 mm




SG 11202
Smart Fix 100 mm




SG 11203
Smart Fix 120 mm




SG 11204
Smart Fix 150 mm




SG 11205
Smart Fix 200 mm




SG 11210
Square Smart Fix 60 mm




SG 11211
Square Smart Fix 80 mm




SG 11212
Square Smart Fix 100 mm




SG 11213
Square Smart Fix 120 mm




SG 11214
Square Smart Fix 150 mm




SG 11215
Square Smart Fix 200 mm



SG 11154
Universal Smart Fix 120 mm




SG 11155
Universal Smart Fix 150 mm



SG 11156
Universal Smart Fix 200 mm


SYSTEM OPTIONS

A. FABRIC MAKE-UP




Type A - Softfold

- A: Child safety tape set SG 3166
- B: Set includes tape and child safety eyelet
- C: Tape SG 2163
- D: Child safety hook set SG 3164
- E: Hollow hem
- F: Bottom bar SG 2005



Type B - Hardfold

- A: Tape SG 2136
- B: Rod SG 2135
- C: Child safety eyelet hard fold SG 3069
- D: Tape SG 2163
- E: Child safety hook set SG 3164



Type C - Hardfold

A: Child safety eyelet set SG 3165

B: Tape SG 2163

C: Child safety hook set SG 3164


PARTS

A. STANDARD PARTS



SG 2301

Velcro profile




SG 2302

Bracket




SG 2307

Child safety chain drive set 4:1



SG 2308

Cord drum with lift cord




SG 2309

Shaft



SG 2311

Bead chain metal ø 4.5 mm



SG 2312

Bead chain connector metal

B. OPTIONAL PARTS




SG 2006

Bottom bar 28x3 mm




SG 2091

End cover



SG 2135

Rod steel ø 3 mm



SG 2136

Rod tape




SG 2310

Bead chain plastic ø 4.5 mm



SG 2319

Bead chain connector plastic



SG 2346

Bracket




SG 2539

Tape



SG 3069

Child safety eyelet



SG 3164

Child safety hook set



SG 3165

Child safety eyelet set



SG 3166

Child safety tape set



SG 10395

Pan head screw M4x6



SG 10492

Pan head screw M4x8




SG 10731

Child safety retainer set



SG 11154

Universal Smart Fix 120 mm



SG 11155

Universal Smart Fix 150 mm



SG 11156

Universal Smart Fix 200 mm




SG 11200

Smart Fix 60 mm




SG 11201

Smart Fix 80 mm




SG 11202

Smart Fix 100 mm




SG 11203

Smart Fix 120 mm




SG 11204

Smart Fix 150 mm




SG 11205

Smart Fix 200 mm




SG 11210

Square Smart Fix 60 mm




SG 11211

Square Smart Fix 80 mm




SG 11212

Square Smart Fix 100 mm




SG 11213

Square Smart Fix 120 mm





SG 11214
Square Smart Fix 150 mm



SG 11215
Square Smart Fix 200 mm

SG 2355



PRODUCT INFORMATION


- **Operation:** motorised
- **Range:** S - M
- **Fitting:** ceiling, wall
- **Colours:** white RAL 9016, black 9005
- **Fabrics:** refer to Silent Gliss fabric collection

Features:


- Quiet motors
- Soft stop
- Various control options
- Enclosed headrail
- Fascia included

SYSTEM SPECIFICATIONS


A. SYSTEM DIMENSIONS




3 m



65 cm



3 m




9 m²




4 kg

B. PROFILE


Profile information




SG 2371
Head box




SG 2372
Tube ø 45 mm




SG 11434
Box cover




SG 2004
Bottom bar 20x7 mm




SG 2006
Bottom bar 28x3 mm



SG 2135
Rod steel ø 3 mm




SG 2137
Rod fiberglass ø 4 mm



SG 2144
Profile ø 8 mm

C. HOW TO MEASURE



A: System width
B: System height

D. SPECIFICATION TEXT


Silent Gliss SG 2355 Motorised Roman Blind System with battery motor. Roman blind system for medium to large size blind applications 3m wide/3m drop/10Kg. Supplied made to measure comprising aluminium head box SG 2371, winding tube SG 2372, end covers SG 2373/4 and fascia SG 11434 Fix to ceiling with ceiling [SG 3003 and/or bracket 2521]. Fix to wall with brackets [Smart Fix SG 11200- 11204 / Square smart fix brackets SG 11210 – SG 11214 / Universal Smart Fix SG 11154 – SG 11156]. Visible metal hardware powder coated in [white RAL 9016 / black RAL 9005]. Integral rechargeable battery motor SG 11926 with USB C charging port positioned [left / right] side. Operation by [Silent Gliss Control N radio handsets and switches / Move4.0 Server/App]. Control components are supplied at additional cost. If supplied with made up blind from The Collection by Silent Gliss it includes child safe breakaway components for [hard/semi-hard fold: SG 3164 bottom bar set + SG 3069 rod cover / soft fold: SG 3165 + 3166 ring]. Fabric to be attached to headrail profile using loop tape. Compliant to Child Safety Legislation EN 13120. All wiring to be strictly in accordance with Silent Gliss wiring diagrams. Fabric to be chosen from The Collection by Silent Gliss, Price Group [1 / 2 / 3].

FITTING

A. FITTING INFORMATION



For detailed fitting information, visit the Silent Gliss website.

Fixing points




B. CEILING FITTING


Clamp SG 3003



SG 3003
Clamp

Bracket SG 2521







SG 2521
Bracket

C. WALL FITTING


Smart Fix



Smart Fix SG 11200 - SG 11204 and bracket SG 2521:
Screw SG 10395 (M4x6) needed.




Square Smart Fix SG 11210 - SG 11214 and bracket SG 2521:
Screw SG 10395 (M4x6) needed.



Universal Smart Fix SG 11154 - SG 11156 and bracket SG 2521:
Screw SG 10492 (M4x8) needed.

Smart Fix	X mm
SG 11200 / SG 11210	80-84
SG 11201 / SG 11211	100-104
SG 11202 / SG 11212	120-124
SG 11203 / SG 11213	140-144
SG 11204 / SG 11214	170-174
SG 11154	134-162
SG 11155	164-192
SG 11156	214-242




SG 2521
Bracket




SG 10395
Pan head screw M4x6




SG 10492
Pan head screw M4x8




SG 11200
Smart Fix 60 mm




SG 11201
Smart Fix 80 mm




SG 11202
Smart Fix 100 mm




SG 11203
Smart Fix 120 mm




SG 11204
Smart Fix 150 mm




SG 11210
Square Smart Fix 60 mm




SG 11211
Square Smart Fix 80 mm




SG 11212
Square Smart Fix 100 mm




SG 11213
Square Smart Fix 120 mm




SG 11214
Square Smart Fix 150 mm



SG 11154
Universal Smart Fix 120 mm





SG 11155
Universal Smart Fix 150 mm



SG 11156
Universal Smart Fix 200 mm


Bracket SG 2363



SG 2363
Bracket 68 mm

SYSTEM OPTIONS

A. FABRIC MAKE-UP



Type A (Standard)

Loop tape SG 3074:

A: Loop tape SG 3074 / SG 2164


B: Cord SG 2216

C: Child safety hook set SG 3164

D: Hollow hem

E: Bottom bar SG 2004

F: Child safety: max. distance 200 mm



Type B

Ring tape SG 2164:

A: Child safety eyelet soft fold SG 3078


B: Ring tape SG 2164

C: Cord SG 2216

D: Child safety hook set SG 3164


E: Hollow hem

F: Bottom bar SG 2004



Type C

- A: Tape SG 2136
- B: Child safety eyelet hard fold SG 3069
- C: Rod SG 2135
- D: Cord SG 2216
- E: Child safety hook set SG 3164



Type D

- A: Child safety eyelet set SG 3161 / SG 3165
- B: Tube SG 2144
- C: Cord SG 2216
- D: Child safety hook set SG 3164
- E: Option: tube SG 2144 / SG 2137 can be installed to room side

MOTORS & CONTROLS

A. MOTOR FEATURES

Motor	SG 11926
-------	----------

Motor Features

Soft start / stop	●
Built-in receiver	●
Electronic end-stop	●
Electronic revolution counter (unlimited revolution)	●
IP class	IP 30

Control Features

SG Control N (built-in receiver)	●
----------------------------------	---


B. MOTOR SPECIFICATIONS

Motor	Min. system width	Charging	Speed	Frequency receiver
SG 11926	65 cm	USB-C	28 rpm	433 MHz

Battery charging

A: Plug-in USB-C cable


B: Battery fully charged when light is green



C. OPERATING METHODS

See catalogue "controls" for details.

SG Control N







Various radio hand-held and wall transmitters available.




Silent Gliss Move App.






PARTS

















A. STANDARD PARTS

	SG 2004 Bottom bar 20x7 mm
	SG 2216 Cord \varnothing 0.85 mm
	SG 2221 Velcro tape
	SG 2371 Head box
	SG 2372 Tube \varnothing 45 mm
	SG 2373 End cover
	SG 2374 End cover
	SG 2375 Tube adapter \varnothing 43 mm
	SG 2376 Shell
	SG 2377 Pin
	SG 2381 Motor plate
	SG 2539 Tape
	SG 3003 Clamp
	SG 3164 Child safety hook set



	SG 10621 Tube adapter
	SG 11185 Pan head screw 2.2x9.5 DIN 7981 C
	SG 11324 PT Screw Countersunk KA35x14
	SG 11356 Motor drive 40/50-Series
	SG 11434 Box cover
	SG 11926 Motor Battery S 2/28

B. OPTIONAL PARTS

	SG 2006 Bottom bar 28x3 mm
	SG 2091 End cover
	SG 2093 Ring
	SG 2135 Rod steel \varnothing 3 mm
	SG 2136 Rod tape
	SG 2137 Rod fiberglass \varnothing 4 mm
	SG 2144 Profile \varnothing 8 mm
	SG 2164 Ring tape
	SG 2363 Bracket 68 mm
	SG 2378 Support
	SG 2379 Sleeve
	SG 2521 Bracket
	SG 3055 Hook
	SG 3069 Child safety eyelet

	SG 3074 Loop tape		SG 11204 Smart Fix 150 mm
	SG 3161 Child safety eyelet set		SG 11210 Square Smart Fix 60 mm
	SG 3165 Child safety eyelet set		SG 11211 Square Smart Fix 80 mm
	SG 3166 Child safety tape set		SG 11212 Square Smart Fix 100 mm
	SG 10149 Pan head screw 2.2x6.5		SG 11213 Square Smart Fix 120 mm
	SG 10395 Pan head screw M4x6		SG 11214 Square Smart Fix 150 mm
	SG 10492 Pan head screw M4x8		SG 11482 Ring
	SG 11154 Universal Smart Fix 120 mm		SG 11900 Move Server
	SG 11155 Universal Smart Fix 150 mm		SG 11931 Radio hand held 1 channel
	SG 11156 Universal Smart Fix 200 mm		SG 11932 Radio hand held 6 channel
	SG 11200 Smart Fix 60 mm		SG 11936 Radio wall transmitter 1 channel
	SG 11201 Smart Fix 80 mm		SG 11937 Radio wall transmitter 6 channel
	SG 11202 Smart Fix 100 mm		SG 11951 Charger USB-C
	SG 11203 Smart Fix 120 mm		

SG 2360



PRODUCT INFORMATION


- **Operation:** motorised
- **Range:** S - L
- **Fitting:** ceiling, wall
- **Colours:** white RAL 9016, black 9005
- **Fabrics:** refer to Silent Gliss fabric collection

Features:


- Quiet motors
- Soft stop
- Various control options
- Enclosed headrail
- Fascia included

SYSTEM SPECIFICATIONS

A. SYSTEM DIMENSIONS




4 m



60 cm*

*see motor specification table



4 m




16 m²




10 kg

B. PROFILE


Profile information




SG 2371
Head box




SG 2372
Tube ø 45 mm




SG 11434
Box cover




SG 2004
Bottom bar 20x7 mm




SG 2006
Bottom bar 28x3 mm



SG 2135
Rod steel ø 3 mm




SG 2137
Rod fiberglass ø 4 mm



SG 2144
Profile ø 8 mm

C. HOW TO MEASURE



A: System width
B: System height

D. SPECIFICATION TEXT

Silent Gliss SG 2360 Motorised Roman Blind System with Series 50 Smart by Silent Gliss enabled motor. Roman blind system for medium to large size blind applications 4m wide/4m drop/10Kg. Supplied made to measure comprising aluminium head box SG 2371, winding tube SG 2372, end covers SG 2373/4 and fascia SG 11434. Fix to ceiling with ceiling [SG 3003 and/or bracket 2521]. Fix to wall with brackets [Smart Fix SG 11200- 11204 / Square smart fix brackets SG 11210 – SG 11214 / Universal Smart Fix SG 11154 – SG 11156]. Visible metal hardware powder coated in [white RAL 9016 / black RAL 9005]. Integral 24V DC powered Smart by Silent Gliss motor SG 11250 positioned [left / right] side. Operation only via Silent Gliss Smart Gateway and associated components in conjunction with compatible third-party control systems. If supplied with made up blind from The Collection by Silent Gliss it includes child safe breakaway components for [hard/semi-hard fold: SG 3164 bottom bar set + SG 3069 rod cover / soft fold: SG 3165 + 3166 ring]. Fabric to be attached to headrail profile using loop tape. Compliant to Child Safety Legislation EN 13120. All wiring to be strictly in accordance with Silent Gliss wiring diagrams. Fabric to be chosen from The Collection by Silent Gliss, Price Group [1 / 2 / 3].

Silent Gliss SG 2360 Motorised Roman Blind System with SG Series 40 motor. Roman blind system for medium to large size blind applications 4m wide/4m drop/10Kg. Supplied made to measure comprising aluminium head box SG 2371, winding tube SG 2372, end covers SG 2373/4 and fascia SG 11434 Fix to ceiling with ceiling [SG 3003 and/or bracket 2521]. Fix to wall with brackets [Smart Fix SG 11200- 11204 / Square smart fix brackets SG 11210 – SG 11214 / Universal Smart Fix SG 11154 – SG 11156]. Visible metal hardware powder coated in [white RAL 9016 / black RAL 9005]. Integral motor [SG 11243 24V DC powered motor transformer not included or SG 11240 100-240 V AC 50/60Hz] positioned [left or right] side. Operation by [3rd party dry contact switching or 3rd party control system with suitable interface or Silent Gliss Control N radio controls via integrated receiver]. Control N transmitter components are supplied at additional cost. If supplied with made up blind from The Collection by Silent Gliss it includes child safe breakaway components for [hard/semi-hard fold: SG 3164 bottom bar set + SG 3069 rod cover / soft fold: SG 3165 + 3166 ring]. Fabric to be attached to headrail profile using loop tape. Compliant to Child Safety Legislation EN 13120. All wiring to be strictly in accordance with Silent Gliss wiring diagrams. Fabric to be chosen from The Collection by Silent Gliss, Price Group [1 / 2 / 3].


Silent Gliss SG 2360 Motorised Roman Blind System with SG Series 20 motor. Roman blind system for medium to large size blind applications 4m wide/4m drop/10Kg. Supplied made to measure comprising aluminium head box SG 2371, winding tube SG 2372, end covers SG 2373/4 and fascia SG 11434 Fix to ceiling with ceiling [SG 3003 and/or bracket 2521]. Fix to wall with brackets [Smart Fix SG 11200- 11204 / Square smart fix brackets SG 11210 – SG 11214 / Universal Smart Fix SG 11154 – SG 11156]. Visible metal hardware powder coated in [white RAL 9016 / black RAL 9005]. Integral motor SG 10320 230v 50 Hz mains switched motor positioned [left or right] side. Operation by [3rd party switching or SG Control R with external receiver or 3rd party automation system with suitable interface]. Control R transmitter & external receiver components supplied at additional costs. If supplied with made up blind from The Collection by Silent Gliss it includes child safe breakaway components for [hard/semi-hard fold: SG 3164 bottom bar set + SG 3069 rod cover / soft fold: SG 3165 + 3166 ring]. Fabric to be attached to headrail profile using loop tape. Compliant to Child Safety Legislation EN 13120. All wiring to be strictly in accordance with Silent Gliss wiring diagrams. Fabric to be chosen from The Collection by Silent Gliss, Price Group [1 / 2 / 3].

FITTING

A. FITTING INFORMATION


For detailed fitting information, visit the [Silent Gliss website](#).

Fixing points





B. CEILING FITTING

Clamp SG 3003



SG 3003
Clamp


Bracket SG 2521




SG 2521
Bracket

C. WALL FITTING


Smart Fix



Smart Fix SG 11200 - SG 11204 and bracket SG 2521:
Screw SG 10395 (M4x6) needed.




Square Smart Fix SG 11210 - SG 11214 and bracket SG 2521:
Screw SG 10395 (M4x6) needed.



Universal Smart Fix SG 11154 - SG 11156 and bracket SG 2521:
Screw SG 10492 (M4x8) needed.

Smart Fix	X mm
SG 11200 / SG 11210	80-84
SG 11201 / SG 11211	100-104
SG 11202 / SG 11212	120-124
SG 11203 / SG 11213	140-144
SG 11204 / SG 11214	170-174
SG 11154	134-162
SG 11155	164-192
SG 11156	214-242




SG 2521
Bracket




SG 10395
Pan head screw M4x6




SG 10492
Pan head screw M4x8




SG 11200
Smart Fix 60 mm




SG 11201
Smart Fix 80 mm




SG 11202
Smart Fix 100 mm




SG 11203
Smart Fix 120 mm




SG 11204
Smart Fix 150 mm




SG 11210
Square Smart Fix 60 mm




SG 11211
Square Smart Fix 80 mm




SG 11212
Square Smart Fix 100 mm




SG 11213
Square Smart Fix 120 mm




SG 11214
Square Smart Fix 150 mm



SG 11154
Universal Smart Fix 120 mm





SG 11155
Universal Smart Fix 150 mm






SG 11156
Universal Smart Fix 200 mm

Bracket SG 2363




SG 2363
Bracket 68 mm


D. FITTING WITH SIDE GUIDE OPTION




SG 2384




SG 8235
Side guide wire base short



SG 8236
Side guide wire base long




SG 8237
Side guide wire holder



SG 8249

Side guide device




SG 10643

Side guide wire \varnothing 1.3 mm x 4.2 m

SYSTEM OPTIONS

A. FABRIC MAKE-UP



Type A (Standard)

Loop tape SG 3074:

A: Loop tape SG 3074 / SG 2164


B: Cord SG 2216

C: Child safety hook set SG 3164

D: Hollow hem

E: Bottom bar SG 2004

F: Child safety: max. distance 200 mm



Type B

Ring tape SG 2164:

A: Child safety eyelet soft fold SG 3078


B: Ring tape SG 2164

C: Cord SG 2216

D: Child safety hook set SG 3164


E: Hollow hem

F: Bottom bar SG 2004



Type C


- A: Tape SG 2136
- B: Child safety eyelet hard fold SG 3069
- C: Rod SG 2135
- D: Cord SG 2216
- E: Child safety hook set SG 3164



Type D

- A: Child safety eyelet set SG 3161 / SG 3165
- B: Tube SG 2144
- C: Cord SG 2216
- D: Child safety hook set SG 3164
- E: Option: tube SG 2144 / SG 2137 can be installed to room side

B. SIDE GUIDES



Additional parts:

- 2x SG 2384 Side guide wire holder
- 2x SG 8235 / SG 8236 Side guide wire base short / long
- 2x SG 8237 Side guide wire holder
- 2x SG 8249 Side guide device
- 2x SG 10643 Side guide wire \varnothing 1.3 mm

Note:

- Up to 15° from vertical

MOTORS & CONTROLS

A. MOTOR FEATURES

	50-Series	40-Series	25-Series	20-Series	5-Series
Motors	SG 11251	SG 11943 SG 11944	SG 11625	SG 10522	SG 10715 SG 10716

Motor Features

Soft stop	●	●	●	●	
Electronic end-stop	●	●	●	●	
Electronic revolution counter (unlimited revolution)	●	●	●	●	
Mechanical end-stop					●
Mechanical revolution counter (limited revolution)					●
One intermediate position possible		●			
Bottom bar alignment	●	●			
Noiseless stop				●	
Parallel wiring possible without additional relays		●	●	●	
Disconnectable motor cable	●	●	●	●	
IP class	IP 30	IP 30	IP 30	IP 44	IP 44

Control Features

Mains power control			●	●	●
Dry contact control	●	●			
Dry contact and / or SG Control N control		●			
SG Control N (built-in receiver)		●			
SG Control R (external receiver required)		●	●	●	
Smart by Silent Gliss	●				
Suitable for most major home automation systems (with suitable interface)		●	●	●	●

B. MOTOR SPECIFICATIONS

Motors	Max. weight	Min. system width	Voltage	Current	Frequency	Speed	Frequency receiver
50-Series (Smart by Silent Gliss)							
SG 11251	10 kg	60 cm	24 V DC	1.5 A	n/a	32 rpm	n/a
40-Series							
SG 11943	10 kg	83 cm	100-240 V AC	0.6 A	50-60 Hz	32 rpm	433 MHz
SG 11944	10 kg	60 cm	24 V DC	1.5 A	n/a	32 rpm	433 MHz
25-Series							
SG 11625	10 kg	87 cm	100-240 V AC	0.8 A	50-60 Hz	32rpm	n/a
20-Series							
SG 10522 (standard)	10 kg	60 cm	230 V AC	0.6 A	50 Hz	30 rpm	n/a
5-Series							
SG 10715	10 kg	60 cm	230 V AC	0.5 A	50 Hz	28 rpm	n/a
SG 10716	10 kg	60 cm	120 V AC	1.1 A	60 Hz	33 rpm	n/a

C. OPERATING METHODS

See catalogue "controls" for details.

Wall Switch



System can be operated by fixed wall switch.

SG Control N




Various radio hand-held and wall transmitters available.



Silent Gliss Move App.

SG Control R



Various radio hand-held and wall transmitters available. An external receiver is required.

Smart by Silent Gliss



Open designed two-way communication system which allows to flawlessly integrate products with most major building management systems.



D. WIRING
DIAGRAMS




Refer to Silent Gliss website.






PARTS
























A. STANDARD PARTS


	SG 2004 Bottom bar 20x7 mm
	SG 2216 Cord ø 0.85 mm
	SG 2221 Velcro tape
	SG 2371 Head box
	SG 2372 Tube ø 45 mm
	SG 2373 End cover
	SG 2374 End cover
	SG 2375 Tube adapter ø 43 mm
	SG 2376 Shell
	SG 2377 Pin
	SG 2381 Motor plate
	SG 2539 Tape
	SG 3003 Clamp
	SG 3164 Child safety hook set

	SG 9917 Hirschmann portable socket-outlet STAK 3 N
	SG 10284 O-Ring
	SG 10522 Motor 230V AC, 20-Series 3/30
	SG 10621 Tube adapter
	SG 11185 Pan head screw 2.2x9.5 DIN 7981 C
	SG 11324 PT Screw Countersunk KA35x14
	SG 11354 Motor drive 10/20-Series
	SG 11434 Box cover

B. OPTIONAL PARTS

	SG 2006 Bottom bar 28x3 mm
	SG 2091 End cover
	SG 2093 Ring
	SG 2135 Rod steel ø 3 mm
	SG 2136 Rod tape
	SG 2137 Rod fiberglass ø 4 mm
	SG 2144 Profile ø 8 mm
	SG 2164 Ring tape
	SG 2363 Bracket 68 mm
	SG 2378 Support
	SG 2379 Sleeve
	SG 2384
	SG 2521 Bracket
	SG 3055 Hook

	SG 3069 Child safety eyelet		SG 10395 Pan head screw M4x6		SG 11211 Square Smart Fix 80 mm
	SG 3074 Loop tape		SG 10492 Pan head screw M4x8		SG 11212 Square Smart Fix 100 mm
	SG 3161 Child safety eyelet set		SG 10643 Side guide wire \varnothing 1.3 mm x 4.2 m		SG 11213 Square Smart Fix 120 mm
	SG 3165 Child safety eyelet set		SG 10715 Tubular motor 230V AC, 5 Series 6/28		SG 11214 Square Smart Fix 150 mm
	SG 3166 Child safety tape set		SG 10716 Tubular motor 120V AC, 5 Series 6/33		SG 11251 Motor 24V DC, 50-Series 3/32
	SG 8235 Side guide wire base short		SG 11154 Universal Smart Fix 120 mm		SG 11260 Gateway Cedia
	SG 8236 Side guide wire base long		SG 11155 Universal Smart Fix 150 mm		SG 11261 Gateway KNX
	SG 8237 Side guide wire holder		SG 11156 Universal Smart Fix 200 mm		SG 11262 Expansion unit
	SG 8249 Side guide device		SG 11200 Smart Fix 60 mm		SG 11263 Power supply 24V DC, 2.5A DIN Rail
	SG 8943 Cable grommet		SG 11201 Smart Fix 80 mm		SG 11264 Power supply 24V DC, 3.8A DIN Rail
	SG 9916 Hirschmann plug set		SG 11202 Smart Fix 100 mm		SG 11265 Power supply 24V DC, 5A DIN Rail
	SG 9959 Central control unit relay		SG 11203 Smart Fix 120 mm		SG 11266 Power supply 24V DC, 10A DIN Rail
	SG 10149 Pan head screw 2.2x6.5		SG 11204 Smart Fix 150 mm		SG 11355 Motor drive 5-Series
	SG 10293 Cable 230V AC, 2/3/5/10 m		SG 11210 Square Smart Fix 60 mm		SG 11356 Motor drive 40/50-Series



SG 11482

Ring



SG 11625

Motor 100-240V AC, 25-Series S 3/32



SG 11900

Move Server



SG 11931

Radio hand held 1 channel



SG 11932

Radio hand held 6 channel



SG 11936

Radio wall transmitter 1 channel



SG 11937

Radio wall transmitter 6 channel




SG 11943

Motor 100-240V AC, 40-Series S 3/32, radio receiver




SG 11944

Motor 24V DC, 40-Series S 3/32, radio receiver



SG 11966

Power supply set 24V/2A with GB plug



SG 11967

Power supply set 24V/2A with US plug

The Architects of Silence

Silent Gliss is the leading global supplier of premium interior window treatments. Since 1952 we have been tirelessly committed to the development of the world's smoothest, quietest systems using state of the art technology.

Driven by customer needs, Silent Gliss offers functional and durable products. Expert technical advice coupled with installation and support services complete the offer. Silent Gliss stands for innovative, sustainable, tailor made solutions, exceptional design and first-class quality.

Silent Gliss Ltd.

Pyramid Business Park
Poorhole Lane, Broadstairs
Kent CT10 2PT
United Kingdom
T +44 1843 863571
F +44 1843 864503
info@silentgliss.co.uk

Silent Gliss Global Ltd.

Pyramid Business Park
Poorhole Lane, Broadstairs
Kent CT10 2PT
United Kingdom
T +44 1843 874250
F +44 1843 864503
info@silentglissglobal.com

Silent Gliss Blinds Trading LLC

Office 1906
The H Hotel Complex
Trade Center First
Dubai
United Arab Emirates
T +971 4 7050318
info@silentgliss.ae

silentgliss.co.uk
silentglissglobal.com
silentgliss.ae